

**NO** vol dir no surt a Google Scholar (almenys aparentment) / **SI**, vol dir el contrari

---

No <http://ddd.uab.cat/record/112842>

[HTML] Polarizability and magnetoplasmonic properties of magnetic general nanoellipsoids

N Maccaferri, JB González-Díaz, S Bonetti... - Optics ..., 2013 - opticsinfobase.org

Abstract An approach to compute the **polarizability** tensor of **magnetic** nanoparticles having general ellipsoidal shape is presented. We find a surprisingly excellent quantitative agreement between calculated and experimental magneto-optical spectra measured in ...  
Citat per 14 Articles relacionats Totes les 13 versions Web of Science: 5 Cita Desa

[HTML] de opticsinfobase.org  
Biblioteques de la UAB

Es mostra el millor resultat d'aquesta cerca. Mostra tots els resultats

[Sobre Google Acadèmic](#) [Privadesa](#) [Condicions](#) [Envieu comentaris](#)

SFX, no a DDD

Sí entre les 13 versions

[HTML] Polarizability and magnetoplasmonic properties of magnetic general nanoellipsoids

N Maccaferri, JB González-Díaz, S Bonetti... - Optics ..., 2013 - opticsinfobase.org

Abstract An approach to compute the polarizability tensor of magnetic nanoparticles having general ellipsoidal shape is presented. We find a surprisingly excellent quantitative agreement between calculated and experimental magneto-optical spectra measured in ...  
Citat per 14 Articles relacionats Web of Science: 5 Cita Desa

[HTML] de opticsinfobase.org  
Biblioteques de la UAB

Polarizability and magnetoplasmonic properties of magnetic general nanoellipsoids

N Maccaferri, JB González-Díaz, S Bonetti, A Berger... - Optics ..., 2013 - diva-portal.org

An approach to compute the polarizability tensor of magnetic nanoparticles having general ellipsoidal shape is presented. We find a surprisingly excellent quantitative agreement between calculated and experimental magneto-optical spectra measured in the polar Kerr ...  
Cita

Biblioteques de la UAB

Polarizability and magnetoplasmonic properties of magnetic general nanoellipsoids

N Maccaferri, JB González-Díaz... - Optics ..., 2013 - publications.lib.chalmers.se

An approach to compute the polarizability tensor of magnetic nanoparticles having general ellipsoidal shape is presented. We find a surprisingly excellent quantitative agreement between calculated and experimental magneto-optical spectra measured in the polar Kerr ...  
Cita

Biblioteques de la UAB

[HTML] Polarizability and magnetoplasmonic properties of magnetic general nanoellipsoids

N Maccaferri, JB González-Díaz, S Bonetti... - Optics ..., 2013 - adsabs.harvard.edu

SAO/NASA ADS Physics Abstract Service. Title: Polarizability and magnetoplasmonic properties of magnetic general nanoellipsoids. Authors: Maccaferri, Nicolò, González-Díaz, Juan B., Bonetti, Stefano, Berger, Alexander. Key:  
Cita

Biblioteques de la UAB

Polarizability and magnetoplasmonic properties of magnetic general nanoellipsoids

N Maccaferri, S Bonetti, A Dmitriev, V Bonanni... - Optics express, 2013 - ddd.uab.cat

Resum: An approach to compute the polarizability tensor of magnetic nanoparticles having general ellipsoidal shape is presented. We find a surprisingly excellent quantitative agreement between calculated and experimental magneto-optical spectra measured in ...  
Cita

Biblioteques de la UAB

[PDF] Polarizability and magnetoplasmonic properties of magnetic general nanoellipsoids

N Maccaferri, JB González-Díaz, S Bonetti, A Berger... - 2013 - researchgate.net

[PDF] de researchgate.net

---

Sí <http://ddd.uab.cat/record/93582>

[PDF] Más allá de la canción: propuestas musicales para la enseñanza-aprendizaje en clase de [lengua extranjera](#) [PDF] de uab.cat

L Viladot, A Casals - ... proceedings: Better CLIL: more opportunities in ..., 2012 - ddd.uab.cat

Drets: Aquest document està subjecte a una llicència d'ús Creative Commons. Es permet la reproducció total o parcial i la comunicació pública de l'obra, sempre que no sigui amb finalitats comercials, i sempre que es reconegui l'autoria de l'obra original. No es permet ...  
Articles relacionats Totes les 2 versions Cita Desa Més

Es mostra el millor resultat d'aquesta cerca. Mostra tots els resultats

[Sobre Google Acadèmic](#) [Privadesa](#) [Condicions](#) [Envieu comentaris](#)

Només DDD

---

Sí, <http://ddd.uab.cat/record/99627>

Conflictividad ambiental y territorial: un área de investigación en construcción. Aproximaciones [\[PDF\]](#) de uab.cat Bibliotèques de la UAB  
al caso catalán

S Muñoz San Martín - Documents d'anàlisi geogràfica, 2012 - ddd.uab.cat  
Resum: La proliferación de conflictos **ambientales** y **territoriales** que se viene observando en **Cataluña** desde hace más de una década ha despertado el interés tanto de los académicos, como de las autoridades gubernamentales y los agentes sociales. Sin ...  
Articles relacionats Totes les 6 versions Cita Desa

Es mostra el millor resultat d'aquesta cerca. [Mostra tots els resultats](#)

DDD i SFX

---

No <https://ddd.uab.cat/record/25436>

[\[HTML\]](#) Variability of unusual distributions of alkenones in the surface waters of the Nordic seas [\[HTML\]](#) de wiley.com

J Bendle, A Rosell-Melé, P Ziveri - Paleocceanography, 2005 - Wiley Online Library  
[2] At present there are no well-established sea surface salinity (SSS) proxies available to paleocceanographers. The prospect of a proxy that can estimate paleosalinity changes is highly desirable. Such data would contain information on past evaporation, precipitation ...  
Citats per 49 Articles relacionats [Totes les 6 versions](#) Web of Science: 35 Cita Desa Més

Es mostra el millor resultat d'aquesta cerca. [Mostra tots els resultats](#)

[Sobre Google Acadèmic](#) [Privadesa](#) [Condicions](#) [Envieu comentaris](#)

Tampoc SFX

Sí entre les 6 versions

[\[HTML\]](#) Variability of unusual distributions of alkenones in the surface waters of the Nordic seas [\[HTML\]](#) de wiley.com

J Bendle, A Rosell-Melé, P Ziveri - Paleocceanography, 2005 - Wiley Online Library  
[2] At present there are no well-established sea surface salinity (SSS) proxies available to paleocceanographers. The prospect of a proxy that can estimate paleosalinity changes is highly desirable. Such data would contain information on past evaporation, precipitation ...  
Citats per 49 Articles relacionats Web of Science: 35 Cita Desa Més

Variability of unusual distributions of alkenones in the surface waters of the Nordic seas [Bibliotèques de la UAB](#)

J Bendle, A Rosell-Melé, P Ziveri - Paleocceanography, 2005 - adsabs.harvard.edu  
Abstract Samples of filtered particulate organic matter (POM) were obtained during the summers of 1999 and 2000 from the surface waters of the Nordic seas to monitor the spatial distribution of long-chain alkenones. The aim of the study was to appraise existing ...  
Cita

[Variability of unusual distributions of alkenones in the surface waters of the Nordic seas](#)

J Bendle, A Rosell-Melé, P Ziveri - Paleocceanography, 2005 - ddd.uab.cat  
Resum: Samples of filtered particulate organic matter (POM) were obtained during the summers of 1999 and 2000 from the surface waters of the Nordic seas to monitor the spatial distribution of long-chain alkenones. The aim of the study was to appraise existing ...  
Cita Més

Variability of unusual distributions of alkenones in the surface waters of the Nordic seas [Bibliotèques de la UAB](#)

J Bendle, A Rosell-Melé, P Ziveri - Paleocceanography, 2005 - eprints.gla.ac.uk  
Samples of filtered particulate organic matter (POM) were obtained during the summers of 1999 and 2000 from the surface waters of the Nordic seas to monitor the spatial distribution of long-chain alkenones. The aim of the study was to appraise existing alkenone-based ...  
Cita

[\[PDF\]](#) Variability of unusual distributions of alkenones in the surface waters of the Nordic seas [\[PDF\]](#) de researchgate.net

J Bendle, A Rosell-Melé, P Ziveri - Paleocceanography, 2005 - researchgate.net  
[2] At present there are no well-established sea surface salinity (SSS) proxies available to paleocceanographers. The prospect of a proxy that can estimate paleosalinity changes is highly desirable. Such data would contain information on past evaporation, precipitation ...  
Cita Més

Variability of unusual distributions of alkenones in the surface waters of the Nordic seas

J Bendle, A Rosell-Melé, P Ziveri - Paleocceanography, 2005 - ddd.uab.cat  
Resum: Samples of filtered particulate organic matter (POM) were obtained during the summers of 1999 and 2000 from the surface waters of the Nordic seas to monitor the spatial distribution of long-chain alkenones. The aim of the study was to appraise existing ...  
Cita Més

---

Sí <https://ddd.uab.cat/record/129060>

Flood regime affects soil stoichiometry and the distribution of the invasive plants in subtropical estuarine wetlands in China [PDF] de uab.cat Biblioteques de la UAB  
W Wang, C Wang, J Sardans, C Tong, R Jia, C Zeng... - Catena, 2015 - Elsevier  
Abstract Projections of climate change **impacts** over the coming decades suggest that rising sea levels will **flood** coastal **wetlands**, moving the range of **wetlands** inland from the current coastline. The intensity of **flooding** in **wetland** areas will thus increase, with corresponding ...  
Cita Desa

Es mostra el millor resultat d'aquesta cerca. [Mostra tots els resultats](#)

[Sobre Google Acadèmic](#) [Privadesa](#) [Condicions](#) [Envieu comentaris](#)

DDD i SFX

---

No <http://ddd.uab.cat/record/126512>

Trees increase their P: N ratio with size [PDF] de uab.es Biblioteques de la UAB  
J Sardans, J Peñuelas - Global ecology and biogeography, 2015 - Wiley Online Library  
Aim Phosphorus (P) tends to become limiting in ageing terrestrial ecosystems, and its resorption efficiency is higher than for other elements such as nitrogen (N). We thus hypothesized that **trees** should store more P than those other elements such as N when ...  
Citat per 1 Articles relacionats Totes les 5 versions Cita Desa

Es mostra el millor resultat d'aquesta cerca. [Mostra tots els resultats](#)

[Sobre Google Acadèmic](#) [Privadesa](#) [Condicions](#) [Envieu comentaris](#)

Sí web CREAM i SFX

Sí entre les versions. Atenció, són de Revisar (hauria de ser restringit):

Trees increase their P: N ratio with size  
J Sardans, J Peñuelas - Global ecology and biogeography, 2015 - Wiley Online Library  
Aim Phosphorus (P) tends to become limiting in ageing terrestrial ecosystems, and its resorption efficiency is higher than for other elements such as nitrogen (N). We thus hypothesized that trees should store more P than those other elements such as N when ...  
Citat per 1 Articles relacionats Cita Desa

[PDF] Trees increase their P: N ratio with size  
J Sardans, J Peñuelas - Global Ecology and Biogeography, 2015 - creaf.uab.cat  
ABSTRACT Aim Phosphorus (P) tends to become limiting in ageing terrestrial ecosystems, and its resorption efficiency is higher than for other elements such as nitrogen (N). We thus hypothesized that trees should store more P than those other elements such as N when ...  
Cita

Trees increase their P: N ratio with size  
J Sardans i Galobart, J Peñuelas - Global ecology and biogeography, 2014 - ddd.uab.cat  
Resum: ERC-IMBALANCEP. MIRAR AMB TOMAS SI ES POT INCLOURE EL PRE-PRINT WILEY DDD. Article first published online: 15 OCT 2014. Resum: Aim: Phosphorus (P) tends to become limiting in ageing terrestrial ecosystems, and its resorption efficiency is higher ...  
Cita Més

[PDF] Trees increase their P: N ratio with size  
J Sardans, J Peñuelas - Global Ecology and Biogeography, 2015 - creaf.uab.es  
ABSTRACT Aim Phosphorus (P) tends to become limiting in ageing terrestrial ecosystems, and its resorption efficiency is higher than for other elements such as nitrogen (N). We thus hypothesized that trees should store more P than those other elements such as N when ...  
Cita

Trees increase their P: N ratio with size  
J Sardans i Galobart, J Peñuelas - Global ecology and biogeography, 2014 - ddd.uab.cat  
Resum: ERC-IMBALANCEP. MIRAR AMB TOMAS SI ES POT INCLOURE EL PRE-PRINT WILEY DDD. Article first published online: 15 OCT 2014. Resum: Aim: Phosphorus (P) tends to become limiting in ageing terrestrial ecosystems, and its resorption efficiency is higher ...  
Cita Més

---

Sí <https://ddd.uab.cat/record/126375> és a Revisar (hauria de ser restringit)

**Flat 3-webs of degree one on the projective plane**

A Beltrán, M Falla Luza, D Marín Pérez - ... de la Faculté des Sciences de ..., 2014 - [ddd.uab.cat](https://ddd.uab.cat)

Resum: Le but de ce travail est d'étudier les 3-tissus globaux ayant courbure nulle. En particulier, nous nous intéressons aux feuilletages de degré 3 dont le tissu dual est plat. L'ingrédient principal est la transformée de Legendre, qui est un avatar de la dualité ...

[Citat per 3](#) [Articles relacionats](#) [Totes les 2 versions](#) [Cita](#) [Desa](#) [Més](#)

Es mostra el millor resultat d'aquesta cerca. [Mostra tots els resultats](#)

[Sobre Google Acadèmic](#) [Privadesa](#) [Condicions](#) [Envieu comentaris](#)