

<p>No <a href="http://ddd.uab.cat/record/112842">http://ddd.uab.cat/record/112842</a></p>	<p>Sí <a href="https://ddd.uab.cat/record/129060">https://ddd.uab.cat/record/129060</a></p>
<pre>&lt;link rel="alternate" type="application/rss+xml" title="UAB Digital Repository of Documents RSS" href="http://ddd.uab.cat/rss?ln=ca" /&gt; &lt;link rel="search" type="application/opensearchdescription+xml" href="http://ddd.uab.cat/opensearchdescription" title="UAB Digital Repository of Documents" /&gt; &lt;link rel="unapi-server" type="application/xml" title="unAPI" href="http://ddd.uab.cat/unapi" /&gt; &lt;meta http-equiv="Content-Type" content="text/html; charset=utf-8" /&gt; &lt;meta http-equiv="Content-Language" content="en" /&gt; &lt;meta name="description" content="An approach to compute the polarizability tensor of magnetic nanoparticles having general ellipsoidal shape is presented. We find a surprisingly excellent quantitative agreement between calculated and experimental magneto-optical spectra measured in the polar Kerr configuration from nickel nanodisks of large size (exceeding 100 nm) with circular and elliptical shape. In spite of its approximations and simplicity, the formalism presented here captures the essential physics of the interplay between magneto- optical activity and the plasmonic resonance of the individual particle. The results highlight the key role of the dynamic depolarization effects to account for the magneto-optical properties of plasmonic nanostructures. Maccaferri, Nicolò; González-Díaz, Juan B.; Bonetti, Stefano; Berger, Andreas; Kataja, Mikko; Van Dijken, Sebastiaan; Nogués i Sanmiquel, Josep; Bonanni, Valentina; Pirzadeh, Zhaleh; Dmitriev, Alexandre; Åkerman, Johan; Vavassori, Paolo" /&gt; &lt;meta name="keywords" content="Materials, Nanopartícules, Anisotropia" /&gt; &lt;script type="text/javascript" src="http://ddd.uab.cat/js/jquery.min.js"&gt;&lt;/script&gt;</pre>	<pre>&lt;link rel="alternate" type="application/rss+xml" title="UAB Digital Repository of Documents RSS" href="https://ddd.uab.cat/rss?ln=ca" /&gt; &lt;link rel="search" type="application/opensearchdescription+xml" href="https://ddd.uab.cat/opensearchdescription" title="UAB Digital Repository of Documents" /&gt; &lt;link rel="unapi-server" type="application/xml" title="unAPI" href="https://ddd.uab.cat/unapi" /&gt; &lt;meta http-equiv="Content-Type" content="text/html; charset=utf-8" /&gt; &lt;meta http-equiv="Content-Language" content="en" /&gt; &lt;meta name="description" content="Projections of climate change impacts over the coming decades suggest that rising sea levels will flood coastal wetlands, moving the range of wetlands inland from the current coastline. The intensity of flooding in wetland areas will thus increase, with corresponding impacts on soil properties and coastal ecosystems. We studied the impacts of two levels of water inundation on the concentration and stoichiometry of soil carbon, nitrogen, phosphorus and sulfur in areas dominated by the native C3 species Scirpus triqueter L., the native C4 species Cyperus malaccensis var. brevifolius Boeckl. and the invasive Gramineae C3 species Phragmites australis (Cav.) Trin. ex Steud in the Shanyutan wetland areas of the Minjiang River estuary in China. Comparison of the communities dominated by these three species in high- and low-water flood habitats showed that flooding enhanced anaerobiosis and salinity and altered the carbon and nitrogen plant- soil cycles. Higher flooding favored the invasive species more than the two native species. The invasive P. australis accumulated more carbon (65% increase in aboveground biomass), and took up more nitrogen under high flooding than did C. malaccensis and S. triqueter.</pre>

```

<!-- GoogleScholar -->

<meta content="10.1364/OE.21.009875" name="citation_doi"
/>
<meta content="Maccaferri, Nicolò" name="citation_author"
/>

<meta content="Polarizability and magnetoplasmonic
properties of magnetic general nanoellipsoids"
name="citation_title" />

<meta content="2013" name="citation_date" />

<meta content="Nanopartícules" name="citation_keywords"
/>
<meta content="Anisotropia" name="citation_keywords" />
<meta content="Materials" name="citation_keywords" />
<meta content="info:eu-repo/semantics/article"
name="citation_type" />
<meta content="info:eu-repo/semantics/publishedVersion"
name="citation_type" />
<meta content="Bonetti, Stefano" name="citation_author"
/>
<meta content="Dmitriev, Alexandre"
name="citation_author" />
<meta content="Bonanni, Valentina" name="citation_author"
/>
<meta content="Åkerman, Johan" name="citation_author" />
<meta content="Kataja, Mikko" name="citation_author" />
<meta content="Berger, Andreas" name="citation_author" />
<meta content="Pirzadeh, Zhaleh" name="citation_author"
/>
<meta content="Nogués i Sanmiquel, Josep"
name="citation_author" />

```

The more conservative use of soil resources, particularly the limiting nutrient N, appeared to underlie the higher capacity of the invasive species to tolerate higher flooding intensity. Increases in flooding may thus enhance the success and expansion of the invasive *P. australis* to the detriment of the native plant species in these Chinese wetlands.

Wang, W.; Wang, Chun; Sardans, Jordi; Tong, Chuan; Jia, Ruixia; Zeng, C.; Peñuelas, Josep" />

<meta name="keywords" content="China, Climate change, Ocean level, Plant invasion, Stoichiometry, Wetland" />

<script type="text/javascript" src="https://ddd.uab.cat/js/jquery.min.js"></script>

```

<!-- GoogleScholar -->

<meta content="10.1016/j.catena.2015.01.017"
name="citation_doi" />
<meta content="Wang, W." name="citation_author" />

<meta content="Flood regime affects soil stoichiometry
and the distribution of the invasive plants in
subtropical estuarine wetlands in China"
name="citation_title" />

<meta content="2015" name="citation_date" />

<meta content="Ocean level" name="citation_keywords" />
<meta content="Climate change" name="citation_keywords"
/>
<meta content="Plant invasion" name="citation_keywords"
/>
<meta content="China" name="citation_keywords" />
<meta content="Wetland" name="citation_keywords" />
<meta content="Stoichiometry" name="citation keywords" />

```

```
<meta content="González-Díaz, Juan B."
name="citation_author" />
<meta content="Van Dijken, Sebastiaan"
name="citation_author" />
<meta content="Vavassori, Paolo" name="citation_author"
/>

<meta content="Optics express" name="citation_conference"
/>
<meta content="Optics express"
name="citation_journal_title" />
<meta
content="http://ddd.uab.cat/pub/artpub/2013/112842/optexp
_a2013m4v21n8p9875.pdf" name="citation_pdf_url" />
<meta content="9875" name="citation_firstpage" />
<meta content="21" name="citation_volume" />
<meta content="9889" name="citation_lastpage" />

<!-- OpenGraph -->
```

```
<meta content="info:eu-repo/semantics/article"
name="citation_type" />
<meta content="info:eu-repo/semantics/acceptedVersion"
name="citation_type" />
<meta content="Sardans, Jordi" name="citation_author" />
<meta content="Zeng, C." name="citation_author" />
<meta content="Jia, Ruixia" name="citation_author" />
<meta content="Peñuelas, Josep" name="citation_author" />
<meta content="Wang, Chun" name="citation_author" />
<meta content="Tong, Chuan" name="citation_author" />

<meta content="Catena" name="citation_conference" />
<meta content="Catena" name="citation_journal_title" />
<meta
content="https://ddd.uab.cat/pub/artpub/2015/129060/caten
a_a2015m5v128p144.pdf" name="citation_pdf_url" />
<meta content="0144" name="citation_firstpage" />
<meta content="128" name="citation_volume" />
<meta content="154" name="citation_lastpage" />

<!-- OpenGraph -->
```